



## DIVIDED LISTENING IN AUDITORY DISPLAYS

PACS: 43.71.Rt

Best, Virginia; Ihlefeld, Antje; Mason, Christine; Kidd, Gerald Jr; Shinn-Cunningham, Barbara  
Hearing Research Center, Boston University, Boston, MA, USA; [ginbest@cns.bu.edu](mailto:ginbest@cns.bu.edu)

### ABSTRACT

Two experiments examined patterns of performance when listeners were asked to respond to two spoken messages presented simultaneously. In Experiment 1, the level of one message was systematically varied relative to the other. In selective listening trials, listeners reported two keywords from this message. In divided listening trials, listeners were also required to report two keywords from the other message. Responses to the variable-level message were similar in selective and divided listening: there was a monotonic influence of the level of the message, and a beneficial effect of spatial separation of the two sources. Responses to the second message, however, were relatively unaffected by the level or spatial configuration of the sources. In Experiment 2, the two messages were equal-level but were systematically degraded by adding noise. Errors in reporting a particular message were more frequent as the noise level increased, but this increase in errors was more dramatic for the source reported second in divided listening trials. Together, these results support the idea that different strategies underlie the processing of two simultaneous messages. The data are also consistent with the involvement of a volatile sensory trace in divided listening.

### INTRODUCTION

Studies of selective listening to speech show that listeners are generally good at retrieving information from a talker at a location they are attending, but perform poorly when asked to recall messages from unattended locations [1]. However, several studies have indicated that listeners have some capacity to process semantic information from messages outside the immediate focus of attention (see e.g. [2]) and can perform remarkably well at following two separated talkers when they are instructed in advance to do so [3].

Broadbent [4] postulated that auditory immediate memory allows listeners to process simultaneous inputs in a serial fashion. In his model, all incoming sensory information is stored temporarily in a relatively unprocessed state. Selective attention allows an object to be selected and processed further (e.g. identification of semantic content). In the case of simultaneous inputs, it is possible to process one input and then use the sensory trace (if it is still available) to process the other input. He estimated the sensory trace to last for up to a few seconds. If this model of divided listening applies to listeners processing simultaneous messages in an auditory display, there may be differences in how report of the different messages is affected by various parameters of the display. For example, while spatial cues can greatly enhance selective listening to one message in a mixture, it is not clear whether spatial cues also influence the processing of one of the competing messages if it is accessed using immediate memory. In addition, it is not clear how robustly sounds are represented in the sensory trace. It may be that the processing of a message via the sensory trace mode may be more susceptible to the quality of the acoustic input than the processing of a message using selective attention.

Here, two separate experiments are summarised that examined divided listening in auditory speech displays. They provide some preliminary data about how the report of two messages is affected by the context of the display. Experiment 1 focused on the effect of spatial separation in a divided listening task, while Experiment 2 examined whether degradations of the acoustic stimuli differentially affect performance for the two messages.

## EXPERIMENT 1

### Methods

Four listeners (ages 21 to 24) participated in Experiment 1. Stimuli were D/A converted and amplified using Tucker-Davis System 3 hardware and presented over Sennheiser HD 580 headphones to subjects seated in a sound-treated booth. Subjects indicated their responses using a graphical user interface.

Speech materials were taken from the Coordinate Response Measure corpus [5], which consists of sentences of the form "Ready <call sign>, go to <color> <number> now". Color and number pairs were always chosen randomly with the constraint that they differed between the two competing sentences. In order to create a difficult attentional task, the same talker was used for both sentences. However, to minimize the influence of energetic overlap between the sentences, they were processed into mutually exclusive frequency bands [6]. The processed sentences were filtered with head-related transfer functions to simulate sources at a distance of 1m in the horizontal plane in four different spatial configurations: two in which the two talkers were co-located (at either 0° or 90°) and two in which the talkers were spatially separated (one at 0° and the other at 90°). One sentence (S2) was presented at the same level (approximately 70 dB SPL) on every trial. The level of the other sentence (S1) was varied relative to S2 by an amount that was chosen randomly from trial to trial (-40, -30, -20, -10, or 0 dB, as well as +10 dB in the selective task only).

In selective listening trials, listeners were asked to report the color and number keywords from S1, identified by its specific call sign ('Baron'). In divided listening trials, the call signs of both S1 and S2 were random and listeners were asked to report the color and number pairs from each message in any order. In a particular run, listeners either performed the selective or divided listening task, and the spatial configuration was fixed. For each condition/configuration combination, 12 runs were completed by each listener. A run consisted of eight repetitions at each level of S1, for a total of 96 repetitions per data point.




Figure 1. Mean percent correct scores as a function of the level of S1 for A) S1 in the selective listening task, B) S1 in the divided listening task, and C) S2 in the divided listening task.

### Results

In the selective listening task, a response was scored as correct when the subject reported both the color and number of S1. Figure 1A shows the across-subject mean percent correct as a function of the level ratio for each spatial configuration. The error bars show the across-subject standard error of the means. In all spatial configurations, performance improves as the relative level of S1 increases. An exception to this arises in the co-located configurations (solid lines), where performance at 0 dB is actually worse than at -10 dB. This effect has been observed in previous studies [7,8] and is attributed to increased confusability of the competing sources when they are equal in level. When the two sources are spatially separated, performance is always better than for the co-located cases (dashed lines fall above solid lines).

In the divided listening task, responses were scored separately for the two sentences. Figures 1B and 1C show the across-subject mean percent correct for S1 and S2, respectively, as a function of their level difference. The error bars show the across-subject standard error of the means. Performance for S1 (Figure 1B) improves steadily as a function of the relative level of S1, and is better when the two talkers are spatially separated compared to when they are co-located (dashed lines fall above solid lines). Performance for S2 (Figure 1C) is better overall than for S1, varies very little as a function of the relative level of the sources, and does not depend on spatial configuration (the four lines are overlapping).

### Discussion

In the divided listening task, patterns of performance for the softer (variable-level) source were similar to performance in the selective listening task. Specifically, the ability to understand S1 improved as the level of S1 increased, and was better when S1 was spatially separated from S2. In contrast, spatial separation of the two sources had little effect on responses to S2. This suggests that the recall of S2 is not affected by spatially-directed attention in the same way as the reporting of S1. The results are consistent with the idea that listeners access a sensory store in order to identify the source that is not actively attended during stimulation.

## EXPERIMENT 2

### Methods

Six listeners (ages 20 to 25) participated in Experiment 2. The testing environment and equipment were identical to those in Experiment 1.

Speech materials were identical to those used in Experiment 1, although they were used in their unprocessed form and were selected at random from the four male talkers in the corpus. Task difficulty was controlled via the addition of noise. To avoid the potentially complicating effects of energetic interference, the two sentences were presented to separate ears on all trials. The two sentences were presented at an equal level (approximately 70 dB SPL) but on every trial independent noise was added at to each ear (-7, -3, 1, or 5 dB relative to the speech, equal in the two ears).

In selective listening trials, listeners were asked to report the color and number keywords from S1, identified by its specific call sign ('Charlie'). The ear receiving S1 was randomly chosen on each trial. In divided listening trials, listeners were asked to report the color and number keywords from S1 followed by the color and number keywords from S2 (whose call sign was always 'Baron'). In a single run, the listening condition (selective or divided) was fixed. For each condition, four runs were completed by each listener. A run consisted of 20 repetitions of each of the four noise levels, for a total of 80 repetitions per data point.




Figure 2. A) Mean percent correct scores as a function of the noise level for the selective and divided listening tasks. B) Performance costs in the divided listening task.

## Results

In the selective listening task, a response was scored as correct when the subject reported both the color and number of S1. The solid line in Figure 2A shows the across-subject mean percent correct as a function of the noise level. The error bars show the across-subject standard error of the means. As expected, performance improves steadily as the noise level decreases.

In the divided listening task, responses were scored separately for the two messages. The dashed and dotted lines in Figure 2A show the across-subject mean percent correct as a function of the noise level for S1 and S2, respectively. The error bars show the across-subject standard error of the means. Performance for S1 (dashed line) improves steadily as the noise level is reduced, similar to the pattern seen in the selective listening task. Performance for S2 (dotted line) is poorer overall than that for S1, and is also more sensitive to the noise level. In Figure 2B, performance cost (i.e. the performance difference between selective and divided listening conditions) is plotted for S1 and S2. The cost for S1 is relatively constant (around 5%) as a function of noise level, whereas the cost for S2 is larger overall and increases for higher noise levels (from 21% to 31%).

## Discussion

The fact that the addition of noise to the input stimuli affected performance for S2 more than for S1 suggests that the two messages are processed via different mechanisms. The higher susceptibility of S2 performance to noise is also consistent with the involvement of a volatile sensory trace. However, an alternative explanation must be considered. It may be that the increased difficulty of processing S1 on high noise trials “drained” a limited pool of processing resources, leaving fewer resources for processing S2. However, if processing load was a primary factor in this task, then some reduction in S2 performance would have been expected in Experiment 1 as the S1 task became more difficult. This was not observed, and in fact the opposite trend is evident, with S2 performance approaching ceiling as the relative level of S1 decreases.

## CONCLUSIONS

These two experiments give some insight into how listeners process simultaneous messages in an auditory speech display. The fact that spatial configuration and the addition of noise had differential effects on performance for the two sources suggests that the two messages are processed via different mechanisms. Although the data are not confirmatory, they are consistent with a model in which one source is actively attended, and the other relies more heavily on auditory memory. In these experiments, it appears that the message that is actively attended can be influenced by difficulty (Experiment 1) or required report order (Experiment 2). Finally, the messages used in these studies carried very little information (two keywords from a closed, over-learned set). Future experiments will test this model of divided listening using stimuli that place higher demands on selective attention and auditory memory.

## ACKNOWLEDGMENTS

Work supported by ONR, AFOSR, and NIDCD. Experiment 1 was conducted as a part of the second author's doctoral work. Desiree Balderrama helped with the data collection for Experiment 2.

## References:

- [1] Cherry EC (1953). Some experiments on the recognition of speech, with one and with two ears. *J Acoust Soc Am* 25: 975-979.
- [2] Conway AR, Cowan N, and Bunting MF (2001). The cocktail party phenomenon revisited: The importance of working memory capacity. *Psychon Bull Rev* 8: 331-335.
- [3] Best V, Gallun FJ, Ihlefeld A, and Shinn-Cunningham BG (2006). The influence of spatial separation on divided listening. *J Acoust Soc Am* 120: 1506-1516.
- [4] Broadbent DW (1958). *Perception and Communication*. Pergamon Press, NY.
- [5] Bolia RS, Nelson WT, and Ericson MA (2000). A speech corpus for multitalker communications research. *J Acoust Soc Am* 107: 1065-1066.
- [6] Shinn-Cunningham BG, Ihlefeld A, Satyavarta, and Larson E (2005). Bottom-up and top-down influences on spatial unmasking. *Acta Acust* 91, 967-979.
- [7] Brungart DS (2001). Informational and energetic masking effects in the perception of two simultaneous talkers. *J Acoust Soc Am* 109: 1101-1109.